

	Application No.	Applicant(s)
	Аррисацоп но.	Applicant(s)
Notice of Allowability	10/698,416	IZAWA ET AL.
Notice of Allowability	Examiner	Art Unit
	Quana M. Grainger	2852
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>12-3-2004</u> .		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. The drawings filed on <u>03 November 2003</u> are accepted by the Examiner.		
<ul> <li>4.   Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)</li></ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 \( \sum \) Notice of Informal Pa	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (	(PTO-413),
Information Disclosure Statements (PTO-1449 or PTO/SB/06     Paper No./Mail Date	Paper No./Mail Date	ė
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statemen	nt of Reasons for Allowance
of Biological Material	9. Other	
•		

**REASONS FOR ALLOWANCE** 

The following is an examiner's statement of reasons for allowance:

The claims are allowable over the prior art of record because the prior art of record does

not teach or suggest a bias applying means which applies a bias voltage to a fixing member or a

conductive member and wherein in the case of image formation on a plurality of recording

material are executed in continuation, the bias applying means both elevates and lowers the bias

voltage in the course of the image formations executed in continuation.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Nanataki et al., Kanai et al., and Sakakibara all teach pertinent prior art. Nakataki et

al. teaches a bias applying means which applies a bias voltage to a fixing member and wherein in

the case of image formation on a plurality of recording material are executed in continuation, the

bias applying means lowers the bias voltage after 100 prints in the course of the image

formations.

Art Unit: 2852

## **Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quana M. Grainger whose telephone number is 571-272-2135. The examiner can normally be reached on 8am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur Grimley can be reached on 571-272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

QG

QUANAM, GHAINGER PRIMARY EXAMINER